



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/664,499	09/18/2000	Nicos A. Vekiarides	1942.0040000	4607
22879	7590 06/03/2004		EXAMINER	
HEWLETT PACKARD COMPANY			EL CHANTI, HUSSEIN A	
	O BOX 272400, 3404 E. HARMONY ROAD NTELLECTUAL PROPERTY ADMINISTRATION		ART UNIT	PAPER NUMBER
	INS, CO 80527-2400		2157	
			DATE MAILED: 06/03/2004	1

Please find below and/or attached an Office communication concerning this application or proceeding.

&

		^ .	
	Application No.	Applicant(s)	
	09/664,499	VEKIARIDES, NICOS A.	
Office Action Summary	Examiner	Art Unit	
	Hussein A El-chanti	2157	
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with t	he correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a rep - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailir earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply by within the statutory minimum of thirty (3) will apply and will expire SIX (6) MONTHS e, cause the application to become ABANI	be timely filed i) days will be considered timely. from the mailing date of this communication. NONED (35 U.S.C. § 133).	
Status			
1) ☐ Responsive to communication(s) filed on 23 M 2a) ☐ This action is FINAL. 2b) ☐ This 3) ☐ Since this application is in condition for allowed closed in accordance with the practice under the second seco	s action is non-final. ance except for formal matters		
Disposition of Claims			
4) ☐ Claim(s) 1-43 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-43 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	awn from consideration.		
Application Papers			
9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	cepted or b) objected to by drawing(s) be held in abeyance.	See 37 CFR 1.85(a). is objected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) ☐ Acknowledgment is made of a claim for foreign a) ☐ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority document 2. ☐ Certified copies of the priority document 3. ☐ Copies of the certified copies of the priority document application from the International Bureat* * See the attached detailed Office action for a list	nts have been received. Its have been received in Apportity documents have been reau (PCT Rule 17.2(a)).	lication No ceived in this National Stage	
Attachment(s)	<u>_</u>		
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	┌~7	mary (PTO-413) lail Date mal Patent Application (PTO-152)	

Art Unit: 2157

Response to Amendment

This action is responsive to communication received on March 23, 2004. Claims
 1-43 are pending examination.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-4, 7-9, 11, 12, 17-22, 24, 32 and 39 are rejected under 35 U.S.C. 102(e) as being anticipated by Shrivastava et al., U.S. Patent No. 6,449,734 (referred to hereafter as Shrivastava).

As to claim 1, Shrivastava teaches a method of mirroring data in a computer network, comprising the steps of:

establishing at least one connection between a local storage server and a mirror storage server (see col. 7 lines 9-16 and col. 7 lines 63-col. 8 lines 11. col. 5 lines 23-33);

receiving a primary storage request from a network host at the local storage server (see col. 7 lines 9-16 and col. 7 lines 63-col. 8 lines 11);

sending a mirror storage request across the established at least one connection from the local storage server to the mirror storage server, wherein the mirror

Page 2

Art Unit: 2157

storage request corresponds to the received primary storage request (see col. 7 lines 9-16 and col. 7 lines 63-col. 8 lines 11);

processing the mirror storage request at the mirror storage server (see col. 7 lines 30-40);

sending a first heartbeat signal from the local storage server to the mirror storage server (see col. 5 lines 36-56); and

sending, a second heartbeat signal from, the mirror storage server to the local storage sever (see col. 5 lines 36-56).

As to claim 2, Shrivastava teaches the method of claim 1 further comprising the steps of:

detecting an interruption in the second heartbeat signal at the local storage server (see col. 6 lines 18-32);

closing the established at least one connection; and queuing mirror storage requests that result from primary storage requests that are received during the detected interruption (see col. 6 lines 18-32).

As to claim 3, Shrivastava teaches the method of claim 2, further comprising the steps of:

receiving the-second heartbeat signal at the local storage server after the detected interruption of the second heartbeat signal (see col. 7 lines 23-32); and re-establishing the closed at least one connection between the local

storage server and the mirror storage server (see col. 7 lines 23-32).

Art Unit: 2157

As to claim 4, Shrivastava teaches the method of claim 3, wherein said mirror storage request sending step comprises the step of:

sending the queued mirror storage requests across the re-established at least one connection after said re-establishing step (see col. 6 lines 18-32 and col. 7 lines 23-32).

As to claim 7, Shrivastava teaches the method of claim 1 wherein said processing step comprises the step of:

storing data of the received mirror storage request in a mirror storage device corresponding to a primary storage device (see col. 8 lines 48-col. 9 lines 18).

As to claim 8, Shrivastava teaches the method of claim 7, further comprising the step of:

sending a response across the established at least one connection from the mirror storage server to the local storage server, wherein the response indicates whether said storing data step was successful (see col. 9 lines 50-60).

As to claim 9, Shrivastava teaches the method of claim 5, wherein said establishing step comprises the steps of:

establishing n connections between the local storage server and the mirror storage server, wherein each of the n connections is between one of n worker threads in the local storage server and one of n connection threads in the mirror storage server, wherein $n \ge 1$ (see col. 8 lines 48-col. 9 lines 18);

storing a local connection array of n elements on the local storage server, wherein each element of the local connection array corresponds to one of the n local

Art Unit: 2157

worker thread that operates on the local storage server (see col. 8 lines 48-col. 9 lines 18); and

storing a mirror connection array of n elements on the mirror storage server, wherein each element of the mirror connection array corresponds to one of the n connection threads on the mirror storage server (see col. 8 lines 48-col. 9 lines 18).

As to claim 11, Shrivastava teaches the method of claim 10, wherein said establishing step further comprises the step of:

establishing each of the *n* connections according to the socket parameter stored in the corresponding one of the *n* elements of the stored local connection array (see col. 8 lines 48-col. 9 lines 18).

As to claim 12, Shrivastava teaches the method of claim 11, further comprising the steps of:

establishing a mirror heartbeat sender thread and a mirror heartbeat receiver thread in the mirror storage server (see col. 5 lines 36-56); and

establishing a local heartbeat sender thread and a local heartbeat receiver thread in the local storage server (see col. 5 lines 36-56).

As to claim 17, Shrivastava teaches the method of claim 16, further comprising the steps of

receiving a first message on the first heartbeat signal after an interruption of the first heartbeat signal (see col. 7 lines 23-32); and

Art Unit: 2157

re-establishing the n connections between the local storage server and the corresponding connection threads on the mirror storage server (see col. 7 lines 23-32).

As to claim 18, Shrivastava teaches the method of claim 17 wherein said second heartbeat signal receiving step comprises the step of:

receiving a first message on the second heartbeat signal after an interruption of the second heartbeat signal (see col. 7 lines 23-32).

As to claim 19, Shrivastava teaches the method of claim 1, wherein the local storage server is operating in an asynchronous mirror mode, further comprising the steps of:

processing the primary storage request (see col. 9 lines 20-61), and sending the results of the processed primary storage request to the network host (see col. 9 lines 20-61).

As to claim 20, Shrivastava teaches the method of claim 1, wherein the local storage server is operating in a synchronous mirror mode, further comprising the steps of:

processing the primary storage request (see col. 9 lines 20-61);
waiting for a response corresponding to the sent mirror storage request
from the mirror storage server (see col. 9 lines 20-61); and

sending the results of the processed primary storage request to the network host after the response is received from the mirror storage server (see col. 9 lines 20-61).

Art Unit: 2157

As to claim 21, Shrivastava teaches the method of claim 1, further comprising the step of:

determining whether a LUN related to the received primary storage request is designated to be mirrored (see abstract lines 1-8).

As to claim 22, Shrivastava teaches the method of claim 1, wherein the established at least one connection is a TCP connection (see col. 1 lines 20-30).

As to claim 24, Shrivastava teaches a method of bi-directional mirroring of data in computer networks, comprising the steps of:

establishing a first connection between a local storage server and a remote storage server (see col. 7 lines 9-16 and col. 7 lines 63-col. 8 lines 11. col. 5 lines 23-33);

establishing a second connection between the local storage server and the remote storage server (see col. 7 lines 9-16 and col. 7 lines 63-col. 8 lines 11. col. 5 lines 23-33):

receiving a first local storage request from a first network host at the local storage server (see col. 7 lines 9-16 and col. 7 lines 63-col. 8 lines 11);

sending a first local mirror storage request from the local storage server across the first connection, wherein the first local mirror storage request corresponds to the first received local storage request (see col. 7 lines 9-16 and col. 7 lines 63-col. 8 lines 11);

receiving the first local mirror storage request at the remote storage server (see col. 8 lines 48-col. 9 lines 18);

Art Unit: 2157

storing data received in the first local mirror storage request in at least one remote storage device coupled to the remote storage server (see col. 8 lines 48-col. 9 lines 18);

receiving a first remote storage request from a second network host at the remote storage server (see col. 8 lines 48-col. 9 lines 18);

sending a first remote mirror storage request from the remote storage server across the second connection, wherein the first remote mirror storage request corresponds to the received first remote storage request (see col. 8 lines 48-col. 9 lines 18);

receiving the first remote mirror storage request at the local storage server (see col. 8 lines 48-col. 9 lines 18); and

storing data received in the first remote mirror storage request in at least one local storage device coupled to the local storage server (see col. 8 lines 48-col. 9 lines 18).

As to claim 32, Shrivastava teaches a system for mirroring data in a computer network, comprising:

a local storage server that receives a storage request and outputs a mirror storage request, wherein said local storage server outputs a first heartbeat signal (see col. 7 lines 9-16 and col. 7 lines 63-col. 8 lines 11. col. 5 lines 23-33); and

a mirror storage server that receives said mirror storage request, wherein said mirror storage server processes said mirror storage request, wherein said mirror storage server outputs a response corresponding to said mirror storage request to said

Art Unit: 2157

local storage server, wherein said mirror storage server outputs a second heartbeat signal and receives said first heartbeat signal (see col. 7 lines 9-16 and col. 7 lines 63-col. 8 lines 11. col. 5 lines 23-33, col. 7 lines 9-16 and col. 7 lines 63-col. 8 lines 11);

wherein said local storage server receives said second heartbeat signal (see col. 7 lines 9-16 and col. 7 lines 63-col. 8 lines 11).

As to claim 39, Shrivastava teaches a computer program product comprising a computer useable medium having computer program logic recorded thereon for enabling at least one processor to mirror data in a computer network, said computer program logic comprising:

means for enabling the processor to establish at least one connection between a local storage server and a mirror storage server (see col. 7 lines 9-16 and col. 7 lines 63-col. 8 lines 11. col. 5 lines 23-33);

means for enabling the processor to receive a primary storage request from a network host at the local storage server (see col. 7 lines 9-16 and col. 7 lines 63-col. 8 lines 11. col. 5 lines 23-33);

means for enabling the processor to send a mirror storage request across the established at least one connection from the local storage server to the mirror storage server, wherein the mirror storage request corresponds to the received primary storage request (see col. 7 lines 9-16 and col. 7 lines 63-col. 8 lines 11. col. 5 lines 23-33);

Application/Control Number: 09/664,499 Page 10

Art Unit: 2157

means for enabling the processor to send a first heartbeat signal from the local storage server to the mirror storage server (see col. 7 lines 9-16 and col. 7 lines 63-col. 8 lines 11); and

means for enabling the processor to send a second heartbeat signal from the mirror storage server to the local storage server (see col. 7 lines 9-16 and col. 7 lines 63-col. 8 lines 11).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 5, 6, 10 and 13-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shrivastava in view of Emens et al., U.S. Patent No. 6,606,643 (referred to hereafter as Emens).

As to claim 5, Shrivastava teaches mirror storage request sending step comprises the step of sending the queued mirror storage requests across the re-established at least one connection after said re-establishing step (see the rejection of claim 4).

Shrivastava does not explicitly teach the limitation "detecting an interruption in the second heartbeat signal at the local storage server that has a duration longer than a first predetermined amount of time". However Emens teaches a method for automatically selecting a mirror server and detects an interruption in the second

Art Unit: 2157

heartbeat signal at the local storage server that has a duration longer than a first predetermined amount of time (see col. 9 lines 33-45).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to modify Shrivastava by implementing the step of detecting an interruption of a signal through a duration longer than a predetermined amount of time as taught by Emens because doing so would allow the user to terminate and reestablish communications which would result in faster communication in case the mirror server becomes off-line there is a failure in communication.

As to claim 6, Shrivastava teaches the method of claim 3, wherein said re-establishing step comprises the steps of:

re-establishing the closed at least one connection between the local storage server and the mirror storage server only if no interruptions in the second heartbeat signal are detected during said monitoring step (see col. 7 lines 23-32) and Emens teaches monitoring the second heartbeat signal for a probationary interval of time (see col. 9 lines 33-45).

As to claim 10, Emens teaches the method of claim 9, wherein said local connection array storing step comprises the step of

storing a local connection array of n elements wherein each element comprises a socket and a timestamp (see col. 3 lines 38-65 and col. 9 lines 32-67): and

wherein said mirror connection array storing step comprises the step of:

Art Unit: 2157

storing a mirror connection array of n elements, wherein each element comprises a socket parameter and a timestamp parameter (see col. 3 lines 38-65 and col. 9 lines 32-67).

As to claim 13, Emens teaches the method of claim 12, wherein the first heartbeat signal sending step and said second heartbeat signal sending step each further comprise the step of:

sending a message at time intervals of a second predetermined amount of time (see col. 9 lines 32-45).

As to claim 14, Emens teaches the method of claim 13, wherein said first heartbeat signal sending step further comprises the step of:

updating the timestamp parameter of each of the *n* elements of the mirror connection array whenever the message on the first heartbeat signal is received by the mirror heartbeat receiver thread; and

wherein said second heartbeat signal sending step further comprises the step of:

updating the timestamp parameter of each of the n elements of the local connection array whenever the message on the second heartbeat signal is received by the local heartbeat receiver thread (see col. 9 lines 32-67).

As to claim 15, Emens teaches the method of claim 14, wherein said detecting step further comprises the step of:

indicating in one of the n elements of the mirror connection array that the corresponding one of the established n connections is closed if the timestamp

Art Unit: 2157

parameter of the one of the *n* elements is older than the first predetermined amount of time (see col. 9 lines 32-67).

As to claim 16, Emens teaches the method of claim 15, wherein said closing step comprises the steps of

timing out one of the *n* connection threads on the mirror storage server if a request on the corresponding one of the established *n* connections has not arrived in a third predetermined amount of time (see col. 9 lines 32-67); and

closing and exiting the timed out connection thread if the corresponding one of the *n* elements in the min-or connection array is indicated to be closed (see col. 9 lines 32-67).

4. Claims 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Shrivastava in view of Emens further in view of Bennett, U.S. Patent No. 6,633,587.

Shrivastava and Emens teach sending a message at time intervals of a second predetermined amount of time. Shrivastava and Emens do not explicitly teach the limitation "sending UDP protocol message". However Bennett teaches a method for sending and receiving UDP messages between a host and a mirror server (see col. 5 lines 55-col. 6 lines 19).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to modify Shrivastava by implementing the step of sending UDP messages as taught by Bennett because doing so would allow the user to send request to host servers more efficiently and in a faster manner.

Application/Control Number: 09/664,499 Page 14

Art Unit: 2157

5. Claims 25-31, 33-38 and 40-43 do not teach or define any additional limitation over claims 1-24 and therefor are rejected for similar reasons.

6. Applicant's arguments filed have been fully considered but they are not persuasive.

In the remarks, the applicant argues in substance that; A) Shrivastava does not teach "establishing at least one connection between a local storage server and a mirror storage server".

In response to A) Shrivastava teaches a system of servers that keeps track of any update occurring on a server. If an update is detected, the array of mirror servers are synchronized where a copy of the update is copied to each and every mirror server (see col. 2). When an update occurs, the update is replicated on other servers where one of the servers act as a master server and the other servers act as slave mirror servers where the master slave establishes multiple connections with servers and replicate the update to mirror servers (see col. 8 lines 47-59). The master server is interpreted as the "local storage server" and the slave server are interpreted as "mirror storage server" and therefore Shrivastava meets the scope of the claimed limitation "establishing at least one connection between a local storage server and a mirror storage server".

7. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

Art Unit: 2157

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hussein A El-chanti whose telephone number is (703)305-4652. The examiner can normally be reached on Mon-Fri 8:30-5:00.

than SIX MONTHS from the mailing date of this final action.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on (703)308-7562. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Hussein El-chanti

May 20, 2004

SUPERVISORY PATERAL SY MINER
TECHNOLOSY TO THE TOTAL STATEMENT OF TH

Page 15